




Reach-In Refrigerator & Freezer

Nenwell Refrigeration Technology Co., Ltd.
Foshan Nenwell Import & Export Trading Co., Ltd.





Your Ideal One-Stop Supplier of Commercial Fridges

Nenwell, China tier 1 commercial refrigeration solution provider, with 7+ affiliated factories standing behind us, we are enduring in operating mass production and fast delivery for valued clients across the world. Alongside the decades since China's open policy in 90's, Nenwell took deep root in China commercial refrigeration industry and grew into a total solution provider of commercial refrigeration equipment, such as reach in refrigerator, glass door merchandiser, countertop fridge, back bar fridge, conventional fridges and freezers, and medical purpose refrigerators. Besides these commercial refrigerators, also we are supplying numerous components and fridge production lines. Nenwell Import and Export is our export outlet and the helper in pivoting global supply chain in this field across the world. We are committed to become your ideal one-stop supplier of freezers and coolers.



Nenwell, a Joint of High Quality upon Cost-Efficiency

Deeply rooted in China refrigeration industry for the past three decades, we have developed prominent expertise and leading technology which bring our manufacturing to world-class high quality. Quality and safety standards such as ISO90001, CE, RoHS, REACH, ETL, UL, NSF, CB, SAA and other norms are well met for different product lines. High quality products and efficient inner cost control empowers Nenwell to grow rapidly in the refrigeration field. Your one-stop refrigeration supplier is us as we run comprehensively full field refrigeration equipment, from cooler to freezer, from mini to large, from counter-top to free-standing, from complete units to components, and from products to production lines. We are professional in satisfying your OEM/ ODM and customized orders.

We help Boost Your Brand in Catering and Retailing



We are always one step ahead of the food service and retailing business. Our insights in stylish designs, illuminated visibility, energy saving technology can definitely boost your brand distribution and retailing sales. Remarkable acknowledgements are bestowed to Nenwell through trustworthy cooperations with famous clients home and abroad, such as Qingdao Beer, Tiger Beer, Polar Bear, Nestle', Meiji, Dairy Queen, Arum, Klondike, Cream Bell, Dairy Day, Igloo, Orchard Fresh, Cold Stone, Liaollao, Fruits, Amorino, Galadari and the list extends yearly.



REACH-IN REFRIGERATOR & FREEZER

External and internal in stainless steel

Address: Rm 601, Bld# 5A Tianan Mansion, Jianping Rd, Guicheng, Nanhai, Foshan, Guangdong, China.

Tel: 0086-757-85856069

<http://www.nenwell.com/>

Nenwell Refrigeration Technology Co., Ltd.
Foshan Nenwell Import & Export Trading Co., Ltd.

REACH-IN REFRIGERATOR & FREEZER



Main Features

- External and internal in stainless steel
- World-famous brand compressor
- Digital display temperature controller
- Automatic defrost
- Extractable condensing unite
- Operating temperature:
TN: +2~+8 °C, with max. ambient temperatures up to 32 °C
BT: -15~-20°C, with max. ambient temperatures up to 32 °C
- Self closing door with 90° stay open feature, Reversible
- Magnetic gasket
- Height-adjustble stainless steel feet

Model	Desc.	Size (mm)	Capacity	Net Weight	Refrigerant	Shlef / Door
NWGN 650 TN	Solid Swing Door	830X740X2010	580L	117KG	R134a	3
NWGN 650 BT	Solid Swing Door	830X740X2040	580L	121KG	R404a	3
NWGN 600 TN	Solid Swing Door	660X780X2050	527L	106KG	R134a	3
NWGN 600 BT	Solid Swing Door	780X660X2010	527L	111KG	R404a	3
NWSnack 400BT/D	Solid Swing Door	700X660X2010	450L	87KG	R404a	3
NWSnack 400TN/D	Solid Swing Door	700X660X2010	450L	82KG	R134a	3
NWSnack 400 BT	Solid Swing Door	700X660X2010	450L	87KG	R404a	3
NWSnack 400 TN	Solid Swing Door	700X660X2010	450L	82KG	R134a	3
NWGN 650 TN G	Glass Swing Door	830X740X2040	580L	117KG	R134a	3
NWGN 600 TN/G	Glass Swing Door	660X780X2050	527L	106KG	R134a	3
NWGN 650 BT G	Heated Glass Swing Door	830X740X2010	580L	121KG	R404a	3
NWGN 600 BT/G	Heated Glass Swing Door	780X660X2010	527L	111KG	R404a	3
NWGN 650 TN D	2 Solid Half Swing Door	830X740X2010	580L	117KG	R134a	3
NWGN 600 TN/D	2 Solid Half Swing Doors	660X780X2050	527L	106KG	R134a	3
NWGN 650 BT D	2 Solid Half Swing Doors	830X740X2040	580L	117KG	R404a	3
NWGN 600 BT/D	2 Solid Half Swing Doors	780X660X2010	527L	106KG	R404a	3
NWPA 600BT	Solid Swing Door	920X680X2010	530L	115KG	R404a	3
NWPA 800BT	Solid Swing Door	990X740X2010	580L	125KG	R404a	3

Total Solution of Commercial Refrigerators

Tel:0086-757-85856069

<http://www.nenwell.com/>



REACH-IN REFRIGERATOR & FREEZER

External and internal in stainless steel

Address: Rm 601, Bld# 5A Tianan Mansion, Jianping Rd, Guicheng, Nanhai, Foshan, Guangdong, China.

Tel: 0086-757-85856069

<http://www.nenwell.com/>

Nenwell Refrigeration Technology Co., Ltd.
Foshan Nenwell Import & Export Trading Co., Ltd.

REACH-IN REFRIGERATOR & FREEZER



Main Features

- External and internal in stainless steel
- World-famous brand compressor
- Digital display temperature controller
- Automatic defrost
- Extractable condensing unite
- Operating temperature:
TN: +2~+8 °C, with max. ambient temperatures up to 32 °C
BT: -15~-20°C, with max. ambient temperatures up to 32 °C
- Self closing door with 90° stay open feature, Reversible
- Magnetic gasket
- Height-adjustble stainless steel feet

Model	Desc.	Size (mm)	Cpacity	Net Weight	Refrigerant	Shlef / Door
NWGN 1410 TN	2 Solid Swing Doors	1480X830X2040	1285L	184KG	R134a	3
NWGN 1410 BT	2 Solid Swing Doors	1480X830X2040	1285L	190KG	R404a	3
NWGN 1200 TN	2 Solid Swing Doors	1320X780X2010	1054L	136KG	R134a	3
NWGN 1200 BT	2 Solid Swing Doors	1320X780X2010	1054L	141KG	R404a	3
NWGN 1410 TN G	2 Glass Swing Doors	1480X830X2040	1285L	184KG	R134a	3
NWGN 1200 TN/G	2 Glass Swing Doors	1320X780X2010	1054L	136KG	R134a	3
NWGN 1410 BT G	2 Heated Glass Swing Doors	1480X830X2010	1285L	190KG	R404a	3
NWGN 1200 BT/G	2 Heated Glass Swing Doors	1320X780X2010	1054L	141KG	R404a	3
NWGN 1410 TN D	4 Solid Half Swing Doors	1480X830X2040	1285L	184KG	R134a	3
NWGN 1200 TN/D	4 Solid Half Swing Doors	1320X780X2010	1054L	136KG	R134a	3
NWGN 1410 BT D	4 Solid Half Swing Doors	1480X830X2010	1285L	184KG	R404a	3
NWGN 1200 BT/D	4 Solid Half Swing Doors	1320X780X2010	1054L	136KG	R404a	3

Total Solution of Commercial Refrigerators

Tel:0086-757-85856069

<http://www.nenwell.com/>





REFRIGERATED COUNTER & FREEZER COUNTER

External and internal in stainless steel

Address: Rm 601, Bld# 5A Tianan Mansion, Jianping Rd, Guicheng, Nanhai, Foshan, Guangdong, China.

Tel: 0086-757-85856069

<http://www.nenwell.com/>

Nenwell Refrigeration Technology Co., Ltd.
Foshan Nenwell Import & Export Trading Co., Ltd.

REFRIGERATED & FREEZER COUNTER



Main Features

- Ventilated
- External and internal in stainless steel
- World-famous brand compressor
- Digital display temperature controller
- Automatic defrost
- Extractable condensing unite
- Operating temperature:
TN: +2~+8 °C, with max. ambient temperatures up to 32 °C
BT: -15~-20°C, with max. ambient temperatures up to 32 °C
- Self closing door with 90° stay open feature
- Magnetic gasket
- Height-adjustble stainless steel feet
- Doors are easily changed to drawers

Model	Desc.	Size (mm)	Cpacity	Net Weight	Refrigerant	Shlef / Door
NWGN 2100 TN	Refrigerated Counter	1365X700X850	260L	92KG	R134a	1
NWGN 3100 TN	Refrigerated Counter	1795X700X850	400L	111KG	R134a	1
NWGN 4100 TN	Refrigerated Counter	2230X700X850	540L	141KG	R134a	1
NWGN 2100 BT	Freezer Counter	1365X700X850	260L	100KG	R404a	1
NWGN 3100 BT	Freezer Counter	1795X700X850	400L	115KG	R404a	1
NWGN 4100 BT	Freezer Counter	2230X700X850	540L	145KG	R404a	1

Total Solution of Commercial Refrigerators

Tel:0086-757-85856069
<http://www.nenwell.com/>



A close-up photograph of a stainless steel saladette sandwich prep table. The table has several compartments containing various fresh ingredients: a large compartment with a colorful salad of tomatoes, cucumbers, and cheese; a compartment with shredded chicken; a compartment with sliced cucumbers; and a compartment with a meat-based filling. The table is set against a background of a person's face, which is out of focus.

SALADETTE SANDWICH PREP TABLE

External and internal in stainless steel

Address: Rm 601, Bld# 5A Tianan Mansion, Jianping Rd, Guicheng, Nanhai, Foshan, Guangdong, China.

Tel: 0086-757-85856069

<http://www.nenwell.com/>

SALADETTE



Main Features

- Static with fan-assisted
- External and internal in stainless steel
- World-famous brand compressor
- Digital display temperature controller
- Automatic defrost
- Extractable condensing unite
- Operating temperature: +2~+8 °C, with max. ambient temperatures up to 32 °C
- Magnetic gasket
- Height-adjustble stainless steel feet
- Doors are easily changed to drawers

Model	Size (mm)	Capacity	Net Weight	Refrigerant	Power	Shlef / Door
NWS900	900X700X850	250L	70KG	R134a	204W	1
NWS900 ROUND GLASS	900X700X850	250L	70KG	R134a	204W	1
NWS901 TOP/G	900X700X850	250L	72KG	R134a	204W	1
NWS903 STD	1365X700X850	390L	91KG	R134a	324W	1
NWPS903	1365X700X1100	390L	103KG	R134a	324W	1
NWLS903	1365X700X1720	390L	91KG	R134a	324W	1
NWS903 ROUND GLASS	1365X700X1250	390L	91KG	R134a	324W	1
NWSW 903	1365X700X1270	390L	92KG	R134a	324W	1

SANDWICH PREP TABLE



Main Features

External and internal in stainless steel
 World-famous brand compressor
 Digital display temperature controller
 Automatic defrost
 Extractable condensing unite
 Operating temperature: +2~+8 °C, with max. ambient temperatures up to 32 °C
 Self closing door with 90° stay open feature
 Magnetic gasket
 Height-adjustble stainless steel feet
 Glass cover is available as an option

Model	Size (mm)	Capacity	Net Weight	Refrigerant	Power	Shlef / Door
NWSH 2700	1360X700X1050	260L	102KG	R134a	320W	1
NWSH 2800	1510X800X1050	400L	112KG	R134a	404W	1
NWSH 3700	1795X700X1050	360L	131KG	R134a	320W	1
NWSH 3800	2025X800X1050	580L	140KG	R134a	324W	1

Total Solution of Commercial Refrigerators

Tel:0086-757-85856069

<http://www.nenwell.com/>





PIZZA PREP TABLE COUNTERTOP REFRIGERATED PREP RAIL

External and internal in stainless steel

Address: Rm 601, Bld# 5A Tianan Mansion, Jianping Rd, Guicheng, Nanhai, Foshan, Guangdong, China.

Tel: 0086-757-85856069

<http://www.nenwell.com/>

Nenwell Refrigeration Technology Co., Ltd.
Foshan Nenwell Import & Export Trading Co., Ltd.

PIZZA PREP TABLE



Main Features

- Ventilated
- External and internal in stainless steel
- World-famous brand compressor
- Digital display temperature controller
- Automatic defrost
- Extractable condensing unit
- Operating temperature: +2~+8 °C, with max. ambient temperatures up to 32 °C
- Self closing door with 90° stay open feature
- Magnetic gasket
- Height-adjustble stainless steel feet

Model	Size (mm)	Capacity	Net Weight	Refrigerant	Power	Shlef / Door
NWPZ 2600 TN/380	1510X800X1415	390L	198KG	R134a	320W	1
NWPZ 2610 TN/380	2025X800X1415	390L	300KG	R134a	320W	1
NWPZ 3600 TN/380	2025X800X1415	580L	280KG	R134a	404W	1



COUNTERTOP REFRIGERATED PREP RAIL



Main Features

- External and internal in stainless steel
- World-famous brand compressor
- Digital display temperature controller
- Operating temperature: +2~+8 °C, with max. ambient temperatures up to 32 °C
- Height-adjustable stainless steel feet

Model	Desc.	Size (mm)	Capacity	Net Weight	Refrigerant	Power
VRX 1200/330	GN 5X1/4, Rectangular glass display	1200X335X430	32L	44KG	R134a	166W
VRX 1400/330	GN 6X1/4, Rectangular glass display	1400X335X430	40L	48.5KG	R134a	172W
VRX 1500/330	GN 7X1/4, Rectangular glass display	1500X335X430	44L	51.5KG	R134a	174W
VRX 1600/330	GN 8X1/4, Rectangular glass display	1600X335X430	48L	52KG	R134a	176W
VRX 1800/330	GN 9X1/4, Rectangular glass display	1800X335X430	55L	54KG	R134a	180W
VRX 2000/330	GN 10X1/4, Rectangular glass display	2000X335x430	63L	58KG	R134a	194W
VRX 1200/380	GN 5X1/3, Rectangular glass display	1200X395X430	40L	47KG	R134a	166W
VRX 1400/380	GN 6X1/3 Rectangular glass display	1400x395X430	40L	51.5KG	R134a	172W
VRX 1500/380	GN 6X1/3, Rectangular glass display	1500X395X430	44L	54.5KG	R134a	174W
VRX 1600/380	GN 7X1/3, Rectangular glass display	1600x395x430	48L	56KG	R134a	176W
VRX 1800/380	GN 8X1/3, Rectangular glass display	1800x395X430	55L	58KG	R134a	180W
VRX 2000/380	GN 9X1/3, Rectangular glass display	2000X395X430	63L	62KG	R134a	194W

Total Solution of Commercial Refrigerators

Tel:0086-757-85856069

<http://www.nenwell.com/>





Reach-In Refrigerator & Freezer

Nenwell Refrigeration Technology Co., Ltd.
Foshan Nenwell Import & Export Trading Co., Ltd.

